L Number	Hits	Search Text	DB	Time stamp
1	72	"5970490"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/06 12:46
2	2	5970490.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/06 12:57
3	382	subquer$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/06 13:02
4	1	subquer$ with templates	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/06 13:04
5	6350	quer$ with form	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/06 13:05
6	201	subquer$ and (quer$ with form)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/06 13:05
7	24	(subquer$ and (quer$ with form)) and templates	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/06 13:08
8	0	819180.apn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/06 13:06
9	12	(subquer$ and (quer$ with form)) and templates and schema	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/06 13:10
10	6	(subquer$ and (quer$ with form)) and templates and schema and web	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/06 14:17
11	4	(subquer$ and (quer$ with form)) and templates and schema and web and parameters	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/06 13:23
12	29	(quer$ with form) and (templat$ with specification) and schema	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/06 13:24
13	0	((quer$ with form) and (templat$ with specification) and schema) and subquer$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/06 13:24
14	13	((quer$ with form) and (templat$ with specification) and schema) and (quer$ with parameters)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/06 13:24

16	12	(((quer$ with form) and (templat$ with specification) and schema) and (quer$ with parameters)) and control$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/06 13:25
17	2	6199195.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/06 14:43
18	273	quer$ with form with control$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/06 14:49
19	7	subquer$ and (quer$ with form with control$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/06 14:44
20	12	((subquer$ and (quer$ with form)) and templates) and schema	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/06 14:45
21	2	(subquer$ and (quer$ with form with control$4)) and schema	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/06 14:47
22	2	(subquer$ and (quer$ with form with control$4)) and schemas	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/06 14:47
23	0	(subquer$ and (quer$ with form with control$4)) and schemas and web	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/06 14:47
24	1	(subquer$ and (quer$ with form with control$4)) and schemas and instruct$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/06 14:48
25	0	(subquer$ and (quer$ with form with control$4)) and schemas and (specification with template)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/06 14:48
26	0	(subquer$ and (quer$ with form with control$4)) and schemas and (specification and template)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/06 14:48
27	6350	quer$ with form	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/06 14:49
28	0	subquer$ and (quer$ with form) and schemas and (specification with template)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/06 14:50
29	2	subquer$ and (quer$ with form) and schemas and (descri$5 with template)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/06 14:55

30	477	(quer$ with form) and (707/4).ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/06 14:56
31	261	(quer$ with form) and (707/100).ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/06 14:56
32	47	((quer$ with form) and (707/4).ccls.) and ((quer$ with form) and (707/100).ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/06 14:56
33	5	subquer$ and (((quer$ with form) and (707/4).ccls.) and ((quer$ with form) and (707/100).ccls.))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/06 14:56
34	3	(subquer$ and (((quer$ with form) and (707/4).ccls.) and ((quer$ with form) and (707/100).ccls.))) and schemas	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/06 14:57
35	1	(subquer$ and (((quer$ with form) and (707/4).ccls.) and ((quer$ with form) and (707/100).ccls.))) and schemas and templates	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/06 14:57
-	2	("5832480").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/06 12:46
-	1	"5510981".PN.	USPAT	2004/01/28 18:28
-	1	"5287278".PN.	USPAT	2004/01/28 18:28
-	1	"4868750".PN.	USPAT	2004/01/28 18:28
-	121	document with proper with name	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 19:05
-	24	(document with proper with name) and (document$ with (cluster$ or categor$ or class)) and rank$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 20:28
-	5	@pd<20000531 and ((document with proper with name) and (document$ with (cluster$ or categor$ or class)) and rank$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 19:16
-	0	(@pd<20000531 and ((document with proper with name) and (document$ with (cluster$ or categor$ or class)) and rank$)) and (duplicat$ or double) and aggregat$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 19:16
-	11	(document with proper with name) and (duplicat$ or double) and aggregat$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 19:16
-	0	@pd<20000531 and (((document with proper with name) and (duplicat$ or double) and aggregat$) and (document$ with (cluster$ or categor$ or class)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 19:22

-	7	((document with proper with name) and (duplicat$ or double) and aggregat$) and (document$ with (cluster$ or categor$ or class))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 19:20
-	692	aggregat$ with document	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 19:20
-	125	duplicat$ with (remov$3 or delet$4) with words	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 19:21
-	0	(aggregat$ with document) and (duplicat$ with (remov$3 or delet$4) with words) and (document$ with (cluster$ or categor$ or class)) and rank$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 19:21
-	0	(aggregat$ with document) and (duplicat$ with (remov$3 or delet$4) with words) and (document$ with (cluster$ or categor$ or class))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 19:21
-	2	@pd<20000531 and (aggregat$ with document) and (duplicat$ with (remov$3 or delet$4) with words)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 20:28
-	1	"5510981".PN.	USPAT	2004/01/28 19:24
-	2	("5819265").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 20:21
-	2	("6260038").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 20:22
-	2	("5857179").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 20:23
-	103	(document with label) and (document$ with (cluster$ or categor$ or class)) and rank$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 20:28
-	28	@pd<20000531 and ((document with label) and (document$ with (cluster$ or categor$ or class)) and rank$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 20:28
-	0	(@pd<20000531 and ((document with label) and (document$ with (cluster$ or categor$ or class)) and rank$)) and ((remov$ or delet$) with words with duplicat$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 20:29
-	0	(@pd<20000531 and ((document with label) and (document$ with (cluster$ or categor$ or class)) and rank$)) and ((remov$ or delet$) with words with match$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 20:30
-	7	(@pd<20000531 and ((document with label) and (document$ with (cluster$ or categor$ or class)) and rank$)) and ((remov$ or delet$) with words)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 20:44

-	1	840421.apn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/28 20:44

Google™

subqueries templates schemas "query form" | Search | Advanced Search
Preferences

Web   Results **1 - 9** of about **13** for **subqueries templates schemas "query form"** . (0.46 seconds)

[PS] Query Mediation for Heterogeneous DataSources
File Format: Adobe PostScript - View as Text
... the source* submit the translated **subqueries** and* collect ... RDBMS
which mimics the export **schemas** of all ... Answering Queries using
templates with binding patterns. ...
www.informatik.hu-berlin.de/~leser/ publications/fdbs_final98.ps -
Similar pages

[PDF] Data Extraction and Ad Hoc Query of an Entity–
Attribute–Value ...
File Format: PDF/Adobe Acrobat - View as HTML
... unions, self-joins, and nested **subqueries** (which are ... for Attribute-
centric EAV **Schemas**: Datatypes Some ... Specifying selection criteria
in the Ad Hoc **Query form**. ...
classweb.gmu.edu/kersch/inft864/ Readings/Jamison/JAMIA5.pdf -
Similar pages

[PDF] Data on the Web
File Format: PDF/Adobe Acrobat - View as HTML
... Document Type Definition Limitations of DTDs as **schemas** DTDs impose order There
is no atomic value Tag is global OODBMS의 person class의 name, course class ...
www.swpark.pe.kr/lecture/xml-db.pdf - Similar pages

[PDF] TRANSNATIONAL INFORMATION SHARING AND EVENT NOTIFICATION By
THRITY ...
File Format: PDF/Adobe Acrobat - View as HTML
... Global **query form** .....48 6 ... structures, **schemas**, ... forms **subqueries** ...
www.acis.ufl.edu/transdg/PublicDocs/Kasad_t.pdf - Similar pages

[PDF] By Svetlozar Nestorov June
File Format: PDF/Adobe Acrobat - View as HTML
Page 1. D A T A MINING TECHNI Q UE S F OR STR UCTURED AND SEMI STR UCTU
RE D D A T A a dissertation submitted to the department of ...
www-db.stanford.edu/~evtimov/pubs/thesis.pdf - Similar pages

[PS] MEDIATED QUERY PROCESSING OVER AUTONOMOUS DATA SOURCES
File Format: Adobe PostScript - View as Text
... set but at the same time containing fewer **templates**. ... Let the data source have a
query form that allows ... R), we break it up into many **subqueries**, generate plans ...
www-db.stanford.edu/~yerneni/pubs/thesis.ps - Similar pages
[More results from www-db.stanford.edu]

[PS] QUERY PROCESSING AND OPTIMIZATION IN
File Format: Adobe PostScript - View as Text
... sources can use different data models, **schemas**, and query ... That is, the access
templates for the corresponding ... in. a **query form** a feasible sequence if for each ...
www.ics.uci.edu/~chenli/thesis/thesis-chenli.ps - Similar pages

[PDF] A Survey in Indexing and Searching XML Documents
File Format: PDF/Adobe Acrobat

Page 1. A Survey in Indexing and Searching XML Documents Robert WP Luk, HV
Leong, Tharam S. Dillon, Alvin TS Chan Department of Computing ...
doi.wiley.com/10.1002/asi.10056 - <u>Similar pages</u>

[PS] <u>A Logic-Based Approach to XML Data</u>
File Format: Adobe PostScript - <u>View as Text</u>
... manipulated. A stylesheet mainly consists of **templates** which specify. ffl ... template
element): ! xsl:apply-**templates** select="xpath-expr "/. ? ...
www.informatik.uni-freiburg.de/~may/lopix/report.ps - <u>Similar pages</u>

*In order to show you the most relevant results, we have omitted some entries very similar to
the 9 already displayed.*
If you like, you can <u>repeat the search with the omitted results included</u>.

subqueries templates schemas "que   Search

<u>Search within results</u> | <u>Language Tools</u> | <u>Search Tips</u> | <u>Dissatisfied? Help us improve</u>

<u>Google Home</u> - <u>Advertising Products</u> - <u>Business Solutions</u> - <u>About Google</u>

©2004 Google

Google™

subquery templates schemas "query form"   Search   Advanced Search
                                                          Preferences

Web   Results **1 - 8** of about **12** for **subquery templates schemas "query form"** . (0.57 seconds)

[PS] Query Mediation for Heterogeneous DataSources
File Format: Adobe PostScript - View as Text
... the content of the sources* translate each **subquery** into a ...
RDBMS which mimics the export **schemas** of all ... Answering Queries
using **templates** with binding patterns ...
www.informatik.hu-berlin.de/~leser/ publications/fdbs_final98.ps -
Similar pages

[PDF] TRANSNATIONAL INFORMATION SHARING AND EVENT NOTIFICATION By
THRITY ...
File Format: PDF/Adobe Acrobat - View as HTML
... 6-2 Global **query form** .....48 6 ... formats, structures, **schemas**, and ...
www.acis.ufl.edu/transdg/PublicDocs/Kasad_t.pdf - Similar pages

[PDF] Chen Li August
File Format: PDF/Adobe Acrobat - View as HTML
... Algorithm UCQstable Stability of Conjunctive Queries with Comparisons Answerable
Subquery of a ... di erent sources can use di erent data models **schemas** and query ...
www.ics.uci.edu/~chenli/thesis/thesis-chenli.pdf - Similar pages

[PS] QUERY PROCESSING AND OPTIMIZATION IN
File Format: Adobe PostScript - View as Text
... 106. 5.6.1 Answerable **Subquery** of a CQAC . ... sources can use different data
models, **schemas**, and query ... That is, the access **templates** for the corresponding
source ...
www.ics.uci.edu/~chenli/thesis/thesis-chenli.ps - Similar pages

[PDF] By Svetlozar Nestorov June
File Format: PDF/Adobe Acrobat - View as HTML
Page 1. D A T A MINING TECHNI Q UE S F OR STR UCTURED AND SEMI STR UCTU
RE D D A T A a dissertation submitted to the department of ...
www-db.stanford.edu/~evtimov/pubs/thesis.pdf - Similar pages

[PS] MEDIATED QUERY PROCESSING OVER AUTONOMOUS DATA SOURCES
File Format: Adobe PostScript - View as Text
... given set but at the same time containing fewer **templates**. ... Let the data source
have a **query form** that allows ... away all but the cheapest plan for each **subquery**. ...
www-db.stanford.edu/~yerneni/pubs/thesis.ps - Similar pages
[More results from www-db.stanford.edu]

[PDF] A Survey in Indexing and Searching XML Documents
File Format: PDF/Adobe Acrobat
Page 1. A Survey in Indexing and Searching XML Documents Robert WP Luk, HV
Leong, Tharam S. Dillon, Alvin TS Chan Department of Computing ...
doi.wiley.com/10.1002/asi.10056 - Similar pages

[PS] A Logic-Based Approach to XML Data

File Format: Adobe PostScript - View as Text
... manipulated. A stylesheet mainly consists of **templates** which specify. ffl ... template
element): ! xsl:apply-**templates** select="xpath-expr "/. ? ...

www.informatik.uni-freiburg.de/~may/lopix/report.ps - Similar pages

In order to show you the most relevant results, we have omitted some entries very similar to the 8 already displayed.
If you like, you can repeat the search with the omitted results included.

[subquery templates schemas "query] [Search]

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

Google Home - Advertising Products - Business Solutions - About Google

©2004 Google